

Hand Forged Wrought Iron HARDWARE

LIGHTING - FIXTURES - HARDWARE - LANTERNS - FIREPLACE EQUIPMENT

W. A. PEDRICK

OFFICE AND SHOWROOM
114 EAST 32nd STREET

TELEPHONE
CALEDONIA 3133





I N T R O D U C T I O N

AFTER MANY MONTHS of study and preparatory work, we are able to offer herewith the first complete and standardized line of hand-wrought iron Colonial Builders Hardware.

Following authentic Colonial designs, every piece in this collection has been planned to meet building conditions as they exist to-day. The specifications have been studied so that they correspond with building practice generally in use.

Only by standardization, modern factory methods and quantity production, are we enabled to offer hardware skillfully wrought by hand with all the beauty of the best examples of Colonial forge work, at prices hitherto unknown in this field; and we cannot therefore accept for execution, orders for special hardware other than specified here.

Every item is packed complete with hand-wrought hammered head screws and is inspected at the factory and ready for use.

SKINNER · HILL COMPANY Inc. · 342 MADISON AVENUE · NEW YORK



S T R A P H I N G E C N



1001/10 with Mortise Pad

1001/13 with Flush Pad



1002/11 with Mortise Pad

1002/14 with Flush Pad




1003/12 with Mortise Pad

1003/15 with Flush Pad

S P E C I F I C A T I O N S

Hinge	1001/10	1002/11	1003/12
	1001/13	1002/14	1003/15
Length of Strap	19½"	15½"	11½"
Length of Joint	4	3½	3
Width of Pad	2	1¾	1½
Width of Strap	2	1¾	1½

Packed one pair with hammered head screws.
Finish—Colonial Black.



S T R A P H I N G E S



1007/10 with Mortise Pad
1007/13 with Flush Pad



1008/11 with Mortise Pad
1008/14 with Flush Pad



1009/12 with Mortise Pad
1009/15 with Flush Pad

S P E C I F I C A T I O N S

Hinge	1007/10 1007/13	1008/11 1008/14	1009/12 1009/15
Length of Strap	19½"	15½"	11½"
Length of Joint	4	3½	3
Width of Pad	2	1¾	1½
Width of Strap	3¾	3	2½

Packed one pair with hammered head screws.
Finish—Colonial Black.



S T R A P H I N G E S



1004/10 with Mortise Pad
1004/13 with Flush Pad



1005/11 with Mortise Pad
1005/14 with Flush Pad




1006/12 with Mortise Pad
1006/15 with Flush Pad

S P E C I F I C A T I O N S

Hinge	1004/10 1004/13	1005/11 1005/14	1006/12 1006/15
Length of Strap	19"	15½"	11½"
Length of Joint	4	3½	3
Width of Pad	2	1¾	1½
Width of Strap	2¾	2¼	2

Packed one pair with hammered head screws.
Finish—Colonial Black.



STRAP HINGE PLATES



1036



1037



1038

SPECIFICATIONS

Plate	1036	1037	1038
Length of Strap	19½"	16"	12¼"
Width of Strap	2	1¾	1½

Packed one pair with hammered head screws.
Finish—Colonial Black.



S T R A P H I N G E P L A T E S



1042



1043



1044

S P E C I F I C A T I O N S

Plate	1042	1043	1044
Length of Strap	19½"	15¾"	12"
Width of Strap	3¾	3	2½

Packed one pair with hammered head screws.
Finish—Colonial Black.



S T R A P H I N G E P L A T E S



1039



1040



1041


S P E C I F I C A T I O N S

Plate	1039	1040	1041
Length of Strap	19¼"	15¾"	12"
Width of Strap	2⅝	2¼	2

Packed one pair with hammered head screws.
Finish—Colonial Black.




CORNER HINGE PLATES




NOTE—These plates are designed so that they will center both on the rail and stile of panelled doors as specified. Allowance is made on butt end to permit cutting to fit.

S P E C I F I C A T I O N S			
Plate	1045	1046	1047
Length overall	23½"	19½"	15½"
" A to B	3	2¾	2
" B to C	6	5¼	4½
" C to D	21¾	17¾	13¾
Width overall	8⅞	7⅞	6⅞
Width of Strap	2	1¾	1½
Will center on stiles up to	6	5½	5

Packed one pair—upper and lower—with hammered head screws.
Finish—Colonial Black.



C O R N E R H I N G E P L A T E S




NOTE—These plates are designed so that they will center both on the rail and stile of panelled doors as specified. Allowance is made on butt end to permit cutting to fit.

S P E C I F I C A T I O N S			
Plate	1051	1052	1053
Length overall	23½"	19½"	15½"
" A to B	3⅞	2¾	2½
" B to C	6	5¼	4½
" C to D	21½	17½	12¼
Width overall	8¾	7½	6½
Width of Strap	3¾	3	2½
Will center on stiles up to	6	5½	5

Packed one pair—upper and lower—with hammered head screws.
Finish—Colonial Black




C O R N E R H I N G E P L A T E



NOTE—These plates are designed so that they will center both on the rail and stile of panelled doors as specified. Allowance is made on butt end to permit cutting to fit.

S P E C I F I C A T I O N S			
Plate	1048	1049	1050
Length overall	23½"	19½"	15¼"
" A to B	3	2¾	2½
" B to C	6	5¼	4½
" C to D	21¼	16¾	12¼
Width overall	8¼	7¼	6¼
Width of Strap	2¾	2¼	2½
Will center on stiles up to	6	5½	5


Packed one pair—upper and lower—with hammered head screws.
Finish—Colonial Black.



"H" A N D "HL" H I N G E S



1016/22 large
1017/23 small




1018/22 large
1019/23 small

S P E C I F I C A T I O N S				
Hinge	1016/22	1017/23	1018/22	1019/23
Length overall	8"	6"	8"	6"
Width overall	2½"	2"	7½"	5¾"
Width of strap	1"	¾"	1"	¾"
Hinge	1016/20	1017/21	1018/20	1019/21
Length of Pad	2½"	1¾"	2½"	1¾"
Width of Pad	1½"	1"	1½"	1"
Packed one pair—upper and lower—with hammered head screws. Finish—Colonial Black.				

Numbers 1016/22 — 1017/23 — 1018/22—1019/23, "H" and "HL" hinges can only be used in cases where the trim is flat, without mouldings and flush with the door. When trim is not flush or surface is irregular, the use of Nos. 1016/20 - 1017/21-1018/20 -1019/21 gives a delightful effect. The pad or butt of these hinges is mortised into jamb.




20 large
21 small




SHUTTER STRAP HINGES



1030/34 for wood
1033/35 for brick




1028/34 for wood
1031/35 for brick



1029/34 for wood
1032/35 for brick


These hinges are used on shutters hung flush with casings and are made with 1-1/16" offset, 2 1/8" throw for wood and 2 1/8" offset, 4 1/4" throw for brick.



SPECIFICATIONS

Hinge	Offset	Throw	Length from pin	Width of strap
1030/34	1 1/16"	2 1/8"	10 3/4"	2 1/2"
1033/35	2 1/8"	4 1/4"	10 3/4"	2 1/2"
1028/34	1 1/16"	2 1/8"	10 3/4"	1 1/4"
1031/35	2 1/8"	4 1/4"	10 3/4"	1 1/4"
1029/34	1 1/16"	2 1/8"	10 3/4"	1 3/4"
1032/35	2 1/8"	4 1/4"	10 3/4"	1 3/4"
Hook plate	Length	2	Width	7/8

Packed two pair—rights and lefts—with hammered head screws. Finish—Colonial Black.



SHUTTER CORNER HINGES




1024/34 for wood
1025/35 for brick



1026/34 for wood
1027/35 for brick

These hinges are used on shutters hung flush with casings and are made with 1-1/16" offset, 2 1/8" throw for wood, and 2 1/8" offset, 4 1/4" throw for brick.



SPECIFICATIONS

Hinge	Offset	Throw	Length from pin	Width of strap
1024/34	1 1/16"	2 1/8"	6 5/8"	7/8"
1025/35	2 1/8"	4 1/4"	6 5/8"	7/8"
1026/34	1 1/16"	2 1/8"	5"	7/8"
1027/35	2 1/8"	4 1/4"	5"	7/8"
Hook plate	Length	2"	Width	7/8"

Packed two pair—rights and lefts—with hammered head screws. Finish—Colonial Black.



SHUTTER AND BLIND FASTS

For Wood or Brick



1202—7" long
Packed one pair.
Finish—Colonial Black.

These Fasteners or Hold-backs turn freely upon a lag screw flattened back of the Fast affording a sure grip for wrench in mounting. Used as supplied for wood or with expansion shield for brick or stone.



1203—8" long
Packed one pair—
right and left.
Finish—Colonial Black.



SHUTTER RING AND BOLT



1204—1½" Ring.
Packed one pair with
hammered head screws.
Finish — Colonial
Black.



1201—Shutter or Dutch Door Bolt—8" overall, 2" wide—Staple
1⅞" long.
Packed one only with hammered head screws.
Finish—Colonial Black.

CUPBOARD LATCHES



1208—Cupboard Latch — Size
of Plates 3" long by ¾" wide.
Packed one set with hammered
head screws.
Finish—Colonial Black.



1207—Cupboard Latch—rights
or lefts. Size of Plates 3⅞"
long and 1" wide.
Packed one set with hammered
head screws.
Finish—Colonial Black.

Both of these latches may be had with
Flat Mortise Strikes. No. 1209, 2"
long by 1" wide.
Finish—Colonial Black.



T H U M B L A T C H E S

For Interior and Exterior Doors



FRONT

SIDE

S P E C I F I C A T I O N S

No. 1215 for Interior Doors

Length of Handle	7 1/8"
Length of Latch Bar	5
Mortise Strike-Length	1 1/2
Mortise Strike-Width	1

Packed one set complete—one handle with Bar, Guide, Escutcheon and Strike with hammered head screws. Finish—Colonial Black.


No. 1216 For Exterior Doors.

Length of Handle	9 1/8"
Operates Yale Lock No.	472 1/4
Operates Corbin Lock No.	1349 1/2

Packed one set—2 handles with hammered head screws. *No Lock.* Finish—Colonial Black.

1215 For Interior Door (Illustrated).

1216 For Exterior Doors same design but with thumb piece only to operate Lock, like No. 1214 (As shown on page 17.)




Reverse side of door



T H U M B L A T C H E S For Exterior and Interior Doors



FRONT



Handle with Lock



SIDE

1214 For Exterior Doors—to operate lock. Illustrated.

1213 For Interior Doors—same design but with Latch Bar. Guide and Escutcheon like No. 1215 (As shown on Page 16.)

S P E C I F I C A T I O N S

No. 1214 For Exterior Doors.

Length of Handle	9 $\frac{3}{4}$ "
Operates Yale Lock No.	472 $\frac{1}{4}$
Operates Corbin Lock No.	1349 $\frac{1}{2}$

Packed one set—2 Handles—with hammered head screws. *No Lock.*
Finish—Colonial Black.


No. 1213 For Interior Doors.

Length of Handle	7 $\frac{3}{4}$ "
Length of Latch Bar	5
Mortise Strike-Length	1 $\frac{1}{2}$
Mortise Strike-Width	1

Packed one set complete—one Handle with Bar, Guide, Escutcheon and Strike with hammered head screws.
Finish—Colonial Black.



O P E N S P R I N G L A T C H E S For Interior Doors



No. 1205 (Right or Left)

- 1206 Open Spring Latch. Length 4", Width $2\frac{3}{4}$ ".
Packed one set complete with Knob and Rose for
reverse side. Spindle and Flat Mortise Strike 2" long
and 1" wide, with hammered head screws.
Finish—Antique Brass and Colonial Black.

- 1205 Open Spring Latch with Brass Knobs and Bolt. Length
 $3\frac{1}{4}$ ", width $3\frac{1}{2}$ ".
Packed one set complete with Knob and Rose for
reverse side. Spindle and Flat Mortise Strike 2" long
and 1" wide, with hammered head screws.
Finish—Antique Brass and Colonial Black.



No. 1206 (Right or Left).



DOOR KNOCKERS



No. 1211

5 $\frac{1}{8}$ " Long Overall. Back Plate 2 $\frac{1}{8}$ " long and 2 $\frac{3}{8}$ " wide with hammered Nail Head Strike 1" diameter. Packed one only with hammered head screws. Finish—Colonial Black.



No. 1212

6" Long Overall. Back Plate 5 $\frac{8}{8}$ " long 2 $\frac{3}{4}$ " wide. Strike Plate 13 $\frac{8}{8}$ " long and 1 $\frac{1}{4}$ " wide. Packed one only with hammered head screws. Finish—Colonial Black.




No. 1210

5" Long and 1 $\frac{1}{2}$ " wide. Packed one only with hammered head screws. Finish—Colonial Black.



FOOT SCRAPER S




No. 1218
15" high and 6" wide. Each
leg has foot plate with two
screw holes. Packed one only.
Finish—Colonial Black.

No. 1217
6" high and 7" wide. Each
leg has foot with screw hole.
Packed one only. Finish—
Colonial Black.





CASEMENT SASH FASTENERS *and* STRIKE PLATES



No. 1219

Back plate $1\frac{3}{4}$ " long, 1" wide; Fastener $4\frac{1}{2}$ " long overall. Packed one only with hammered head screws and strike plate. Made right and left hand. Finish, Colonial Black.



No. 1220

Back plate 2" long, 1" wide. Fastener $3\frac{1}{4}$ " long overall. Packed one only with hammered head screws and strike plate. Made right and left hand. Finish, Colonial Black.



No. 1221

Back plate 2" long, 1" wide. Fastener $3\frac{3}{4}$ " long overall. Packed one only with hammered head screws and strike plate. Can be used right or left hand. Finish, Colonial Black.



No. 1222

Mortise Strike Plate
Size, $2\frac{1}{2}$ " long, $\frac{3}{4}$ " wide.



No. 1223

Strike Plate
Size, $1\frac{3}{4}$ " long, $\frac{1}{2}$ " wide.

Strike plates for casement sash fasteners included in price of Fasteners. Specify which style required when ordering fasteners.



REVISED PRICE LIST ~ CATALOG NO. 101

HAND-FORGED WROUGHT IRON HARDWARE

Prices subject to change without notice

TERMS: F. O. B. New York 2/10 Net 30 days

Effective June 15, 1927

Packing charged at cost

OUR WROT IRON SPECIALLY TREATED AGAINST RUST

In addition to the items shown in this catalog, which comprises the first complete and standardized line of hand-forged wrought iron builders' hardware, The Skinner-Hill Company, Inc., sole representatives in the United States and Canada for many foreign manufacturers, offers the following:

Decorative English Brasses
Electric Lighting Fixtures
Pewter Ware
Ship Models
Wrought Iron Lanterns and Fixtures
Reproductions of Old English and Irish glass
Complete sets of stemware
Bohemian Glassware
Reproductions of English Sheffield Plate

Lead Garden Ornaments
Weather Vanes
Porcelain Lamps and Figures
Dinner Gongs
Period Cabinet Hardware
Andirons, Screens and Fireplace Equipment
Brass Smokers' Articles
Leaded Lanterns
Stained Glass Pictures

All of these lines are displayed at our Show-Rooms, 114 E. 23rd Street, New York City.

Further information, prices and illustrations sent on request. (Wholesale only)

1001/10 Strap Hinge with Mortise Pad	\$5.60 per pair	1003/12 Strap Hinge with Mortise Pad	\$3.80 per pair
1001/13 Strap Hinge with Flush Pad	5.60 per pair	1003/15 Strap Hinge with Flush Pad	3.80 per pair
1002/11 Strap Hinge with Mortise Pad	4.60 per pair	1004/10 Strap Hinge with Mortise Pad	5.95 per pair
1002/14 Strap Hinge with Flush Pad	4.60 per pair	1004/13 Strap Hinge with Flush Pad	5.95 per pair

(OVER)

1005/11	Strap Hinge with Mortise Pad	\$4.85 per pair	1043	Strap Hinge Plates	\$2.85 per pair
1005/14	Strap Hinge with Flush Pad	4.85 per pair	1044	Strap Hinge Plates	2.35 per pair
1006/12	Strap Hinge with Mortise Pad	3.75 per pair	1045	Corner Hinge Plates	3.75 per pair
1006/15	Strap Hinge with Flush Pad	3.75 per pair	1046	Corner Hinge Plates	3.00 per pair
1007/10	Strap Hinge with Mortise Pad	6.20 per pair	1047	Corner Hinge Plates	2.60 per pair
1007/13	Strap Hinge with Flush Pad	6.20 per pair	1048	Corner Hinge Plates	4.25 per pair
1008/11	Strap Hinge with Mortise Pad	5.00 per pair	1049	Corner Hinge Plates	3.35 per pair
1008/14	Strap Hinge with Flush Pad	5.00 per pair	1050	Corner Hinge Plates	3.00 per pair
1009/12	Strap Hinge with Mortise Pad	4.20 per pair	1051	Corner Hinge Plates	4.75 per pair
1009/15	Strap Hinge with Flush Pad	4.20 per pair	1052	Corner Hinge Plates	3.75 per pair
1016/22	H Hinge, Large	3.60 per pair	1053	Corner Hinge Plates	3.25 per pair
1016/20	T Hinge, Large	3.00 per pair	1201	Shutter or Dutch Door Bolt	2.35 each
1017/23	H Hinge, Small	3.10 per pair	1202	Shutter or Blind Fast	2.25 per pair
1017/21	T Hinge, Small	2.65 per pair	1203	Shutter or Blind Fast	1.65 per pair
1018/22	H Hinge, Large	3.85 per pair	1204	Shutter Ring	1.00 per pair
1018/20	L Hinge, Large	3.20 per pair	1205	Open Spring Latch and Bolt	6.75 each
1019/23	H Hinge, Small	3.40 per pair	1206	Open Spring Latch	5.25 each
1019/21	L Hinge, Small	2.95 per pair	1207	Cupboard Latch	1.25 each
1024/34	Shutter Corner Hinges	3.40 per pair	1208	Cupboard Latch	1.15 each
1025/35	Shutter Corner Hinges	3.75 per pair	1209	Mortise Strike	.45 each
1026/34	Shutter Corner Hinges	3.15 per pair	1210	Door Knocker	3.00 each
1027/35	Shutter Corner Hinges	3.25 per pair	1211	Door Knocker	3.25 each
1028/34	Shutter Strap Hinges	3.50 per pair	1212	Door Knocker	3.00 each
1029/34	Shutter Strap Hinges	3.50 per pair	1213	Thumb Latch Set Complete	3.25 each
1030/34	Shutter Strap Hinges	3.95 per pair	1214	Thumb Latch Handle to Operate Lock	3.25 per pair
1031/35	Shutter Strap Hinges	3.50 per pair	1215	Thumb Latch Set Complete	3.50 each
1032/35	Shutter Strap Hinges	3.50 per pair	1216	Thumb Latch Handle to Operate Lock	3.50 per pair
1033/35	Shutter Strap Hinges	4.00 per pair	1217	Foot Scraper	3.00 each
1036	Strap Hinge Plates	2.75 per pair	1218	Foot Scraper	5.50 each
1037	Strap Hinge Plates	2.30 per pair	1219/1222 or 1219/1223	Casement Fasteners	
1038	Strap Hinge Plates	1.90 per pair		Inclusive of Strike Plate	1.30 each
1039	Strap Hinge Plates	3.40 per pair	1220/1222 or 1220/1223	Casement Fasteners	
1040	Strap Hinge Plates	2.60 per pair		Inclusive of Strike Plate	1.00 each
1041	Strap Hinge Plates	2.25 per pair	1221/1222 or 1221/1223	Casement Fasteners	
1042	Strap Hinge Plates	3.65 per pair		Inclusive of Strike Plate	1.00 each

The Lantern illustrated on cover is No. 1100 Wrought Iron Colonial black finish with antique crystal or amber glass cylinder. Height 15½", Diameter 7", complete with bracket (6" extension) or canopy and 3 feet of chain. Price \$20.00.

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

